Complete Summary

TITLE

Pneumonia: percent of patients who were transferred or admitted to the intensive care unit (ICU) within 24 hours of hospital arrival, who had blood cultures performed within 24 hours prior to or 24 hours after hospital arrival.

SOURCE(S)

Specifications manual for national hospital inpatient quality measures, version 3.0b. Centers for Medicare & Medicaid Services (CMS), The Joint Commission; 2009 Oct. various p.

Measure Domain

PRIMARY MEASURE DOMAIN

Process

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the Measure Validity page.

SECONDARY MEASURE DOMAIN

Does not apply to this measure

Brief Abstract

DESCRIPTION

This measure is used to assess the percent of pneumonia patients transferred or admitted to the intensive care unit (ICU) within 24 hours of hospital arrival, who had blood cultures performed within 24 hours prior to or 24 hours after hospital arrival.

RATIONALE

Published pneumonia treatment guidelines from American Thoracic Society (ATS)/Infectious Diseases Society of America (IDSA) recommend performance of blood cultures for all inpatients with severe pneumonia to optimize therapy. Improved survival has been associated with optimal therapy. In addition, the yield of clinically useful information is greater if the culture is collected before antibiotics are administered. The actual performance of a culture has been added

to this measure because restricting measurement to culture collection prior to antibiotics provides an incentive for hospitals not to perform a culture in any patient who has already received antibiotics.

PRIMARY CLINICAL COMPONENT

Pneumonia; intensive care unit (ICU); blood cultures

DENOMINATOR DESCRIPTION

Pneumonia intensive care unit (ICU) patients, 18 years of age and older, who are transferred or admitted to the ICU within 24 hours of hospital arrival (see the related "Denominator Inclusions/Exclusions" field in the Complete Summary)

NUMERATOR DESCRIPTION

Number of pneumonia patients transferred or admitted to the intensive care unit (ICU) within 24 hours of hospital arrival who had blood cultures performed within 24 hours prior to or 24 hours after arrival at the hospital

Evidence Supporting the Measure

EVIDENCE SUPPORTING THE CRITERION OF QUALITY

- A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence
- One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

NATIONAL GUIDELINE CLEARINGHOUSE LINK

- Infectious Diseases Society of America/American Thoracic Society consensus guidelines on the management of community-acquired pneumonia in adults.

Evidence Supporting Need for the Measure

NEED FOR THE MEASURE

Use of this measure to improve performance

EVIDENCE SUPPORTING NEED FOR THE MEASURE

Heffelfinger JD, Dowell SF, Jorgensen JH, Klugman KP, Mabry LR, Musher DM, Plouffe JF, Rakowsky A, Schuchat A, Whitney CG. Management of community-acquired pneumonia in the era of pneumococcal resistance: a report from the Drug-Resistant Streptococcus pneumoniae Therapeutic Working Group. Arch Intern Med2000 May 22;160(10):1399-408. PubMed

Mandell LA, Marrie TJ, Grossman RF, Chow AW, Hyland RH. Canadian guidelines for the initial management of community-acquired pneumonia: an evidence-based update by the Canadian Infectious Diseases Society and the Canadian Thoracic Society. The Canadian Community-Acquired Pneumonia Working Group. Clin Infect Dis2000 Aug;31(2):383-421. PubMed

Mandell LA, Wunderink RG, Anzueto A, Bartlett JG, Campbell GD, Dean NC, Dowell SF, File TM Jr, Musher DM, Niederman MS, Torres A, Whitney CG. Infectious Diseases Society of America/American Thoracic Society consensus guidelines on the management of community-acquired pneumonia in adults. Clin Infect Dis2007 Mar 1;44 Suppl 2:S27-72. [335 references] PubMed

Metersky ML, Ma A, Bratzler DW, Houck PM. Predicting bacteremia in patients with community-acquired pneumonia. Am J Respir Crit Care Med2004 Feb 1;169(3):342-7. PubMed

State of Use of the Measure

STATE OF USE

Current routine use

CURRENT USE

Accreditation
Collaborative inter-organizational quality improvement
External oversight/Medicaid
External oversight/Medicare
Internal quality improvement

Application of Measure in its Current Use

CARE SETTING

Hospitals

PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Measure is not provider specific

LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Single Health Care Delivery Organizations

TARGET POPULATION AGE

Age greater than or equal to 18 years

TARGET POPULATION GENDER

Either male or female

STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

Characteristics of the Primary Clinical Component

INCIDENCE/PREVALENCE

In 2004, 60,207 people died of pneumonia. There were an estimated 651,000 hospital discharges in males (44.9 per 10,000) and 717,000 discharges in females (47.7 per 10,000) all attributable to pneumonia in 2005. The highest pneumonia discharge rate that year was seen in those 65 and over at 221.3 per 10,000.

EVIDENCE FOR INCIDENCE/PREVALENCE

National Center for Health Statistics. National hospital discharge survey, 1988, 2004 and 2005 [unpublished].

National Center for Health Statistics. Report of final mortality statistics, 1979-2003. National vital statistics report, preliminary data for 2004. Hyattsville (MD): National Center for Health Statistics;

ASSOCIATION WITH VULNERABLE POPULATIONS

See the "Burden of Illness" field.

BURDEN OF ILLNESS

In the United States (U.S.), pneumonia is the sixth most common cause of death. From 1979-1994, the overall rates of death due to pneumonia and influenza increased by 59%. Much of this increase is due to a greater population of persons aged 65 years or older, and a changing epidemiology of pneumonia, including a greater proportion of the population with underlying medical conditions at increased risk of respiratory infection.

See also the "Incidence/Prevalence" field.

EVIDENCE FOR BURDEN OF ILLNESS

Bartlett JG, Dowell SF, Mandell LA, File Jr TM, Musher DM, Fine MJ. Practice guidelines for the management of community-acquired pneumonia in adults. Infectious Diseases Society of America. Clin Infect Dis2000 Aug;31(2):347-82. [218 references] PubMed

UTILIZATION

Annually, 2-3 million cases of community acquired pneumonia result in 10 million physician visits, 500,000 hospitalizations, and 45,000 deaths.

There are more than 1.1 million hospitalizations due to pneumonia each year in the U.S.

See also the "Incidence/Prevalence" field.

EVIDENCE FOR UTILIZATION

Bartlett JG, Dowell SF, Mandell LA, File Jr TM, Musher DM, Fine MJ. Practice guidelines for the management of community-acquired pneumonia in adults. Infectious Diseases Society of America. Clin Infect Dis2000 Aug;31(2):347-82. [218 references] PubMed

Niederman MS, Mandell LA, Anzueto A, Bass JB, Broughton WA, Campbell GD, Dean N, File T, Fine MJ, Gross PA, Martinez F, Marrie TJ, Plouffe JF, Ramirez J, Sarosi GA, Torres A, Wilson R, Yu VL. Guidelines for the management of adults with community-acquired pneumonia. Diagnosis, assessment of severity, antimicrobial therapy, and prevention. Am J Respir Crit Care Med2001 Jun;163(7):1730-54. PubMed

COSTS

Unspecified

Institute of Medicine National Healthcare Quality Report Categories

IOM CARE NEED

Getting Better

IOM DOMAIN

Effectiveness
Timeliness

Data Collection for the Measure

CASE FINDING

Users of care only

DESCRIPTION OF CASE FINDING

Discharges, 18 years of age and older, who are transferred or admitted to the intensive care unit (ICU) within 24 hours of hospital arrival with a principal diagnosis of pneumonia *or* a principal diagnosis of septicemia or respiratory failure (acute or chronic) *and* other diagnosis code of pneumonia

DENOMINATOR SAMPLING FRAME

Patients associated with provider

DENOMINATOR INCLUSIONS/EXCLUSIONS

Inclusions

Discharges, 18 years of age and older, who are transferred or admitted to the intensive care unit (ICU) within 24 hours of hospital arrival with an International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Principal Diagnosis Code of pneumonia as defined in the appendices of the original measure documentation *or* ICD-9-CM Principal Diagnosis Code of septicemia or respiratory failure (acute or chronic) as defined in the appendices of the original measure documentation *and* an ICD-9-CM Other Diagnosis Code of pneumonia as defined in the appendices of the original measure documentation

Exclusions

- Patients less than 18 years of age
- Patients who have a Length of Stay (LOS) greater than 120 days
- Patients with Cystic Fibrosis (as defined in the appendices of the original measure documentation)
- Patients who had no chest x-ray or computed tomography (CT) scan that indicated abnormal findings within 24 hours prior to hospital arrival or anytime during this hospitalization
- Patients with *Comfort Measures Only* documented on day of or day after arrival
- Patients enrolled in clinical trials
- Patients received as a transfer from the emergency department (ED) of another hospital
- Patients received as a transfer from an acute care facility where they were an inpatient or an outpatient
- Patients received as a transfer from one distinct unit of the hospital to another distinct unit of the same hospital
- Patients received as a transfer from an ambulatory surgery center
- Patients who had no diagnosis of pneumonia either as the ED final diagnosis/impression or direct admission diagnosis/impression
- Patients not transferred or admitted to the intensive care unit (ICU) within 24 hours of hospital arrival
- Patients discharged/transferred to another hospital for inpatient care on day of or day after arrival
- Patients who left against medical advice or discontinued care on day of or day after arrival
- Patients who expired on day of or day after arrival
- Patients discharged/transferred to a federal health care facility on day of or day after arrival

RELATIONSHIP OF DENOMINATOR TO NUMERATOR

All cases in the denominator are equally eligible to appear in the numerator

DENOMINATOR (INDEX) EVENT

Clinical Condition
Institutionalization

DENOMINATOR TIME WINDOW

Time window brackets index event

NUMERATOR INCLUSIONS/EXCLUSIONS

Inclusions
Number of pneumonia patients transferred or admitted to the intensive care unit (ICU) within 24 hours of hospital arrival who had blood cultures performed within 24 hours prior to or 24 hours after arrival at the hospital

Exclusions
None

MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

NUMERATOR TIME WINDOW

Fixed time period

DATA SOURCE

Administrative data
Medical record

LEVEL OF DETERMINATION OF QUALITY

Individual Case

PRE-EXISTING INSTRUMENT USED

Unspecified

Computation of the Measure

SCORING

Rate

INTERPRETATION OF SCORE

Better quality is associated with a higher score

ALLOWANCE FOR PATIENT FACTORS

Unspecified

STANDARD OF COMPARISON

External comparison at a point in time
External comparison of time trends
Internal time comparison

Evaluation of Measure Properties

EXTENT OF MEASURE TESTING

This measure has been used by the Centers for Medicare & Medicaid Services (CMS) as a Core Measure for public reporting since 2004. Each year CMS compares a certain percentage of reported cases using inter-rater reliability testing.

EVIDENCE FOR RELIABILITY/VALIDITY TESTING

Reporting hospital quality data for annual payment update (RHQDAPU). [internet]. Baltimore (MD): Centers for Medicare & Medicaid Services; [accessed 2010 May 10]. [1 p].

Identifying Information

ORIGINAL TITLE

PN-3a: blood cultures performed within 24 hours prior to or 24 hours after hospital arrival for patients who were transferred or admitted to the ICU within 24 hours of hospital arrival.

MEASURE COLLECTION

National Hospital Inpatient Quality Measures

MEASURE SET NAME

Pneumonia

SUBMITTER

Centers for Medicare & Medicaid Services
Joint Commission, The

DEVELOPER

Centers for Medicare & Medicaid Services/The Joint Commission

FUNDING SOURCE(S)

All external funding for measure development has been received and used in full compliance with The Joint Commission's Corporate Sponsorship policies, which are available upon written request to The Joint Commission.

COMPOSITION OF THE GROUP THAT DEVELOPED THE MEASURE

The measure was developed and continues to be maintained in conjunction with a multi-disciplinary Technical Expert Panel.

FINANCIAL DISCLOSURES/OTHER POTENTIAL CONFLICTS OF INTEREST

Expert panel members have made full disclosure of relevant financial and conflict of interest information in accordance with the Joint Commission's Conflict of Interest policies, copies of which are available upon written request to The Joint Commission.

ENDORSER

National Quality Forum

ADAPTATION

Measure was not adapted from another source.

RELEASE DATE

2000 Aug

REVISION DATE

2009 Oct

MEASURE STATUS

This is the current release of the measure.

This measure updates a previous version: Specifications manual for national hospital quality measures, version 2.5b. Centers for Medicare & Medicaid Services (CMS), The Joint Commission; 2008 Oct. various p.

SOURCE(S)

Specifications manual for national hospital inpatient quality measures, version 3.0b. Centers for Medicare & Medicaid Services (CMS), The Joint Commission; 2009 Oct. various p.

MEASURE AVAILABILITY

The individual measure, "PN-3a: Blood Cultures Performed Within 24 Hours Prior to or 24 Hours After Hospital Arrival for Patients Who Were Transferred or Admitted to the ICU Within 24 Hours of Hospital Arrival," is published in "Specifications Manual for National Hospital Inpatient Quality Measures." This document is available from The Joint Commission Web site. Information is also available from the Centers for Medicare & Medicaid Services (CMS) Web site. Check The Joint Commission Web site and CMS Web site regularly for the most recent version of the specifications manual and for the applicable dates of discharge.

COMPANION DOCUMENTS

The following are available:

- A software application designed for the collection and analysis of quality improvement data, the CMS Abstraction and Reporting Tool (CART), is available from the CMS CART Web site. Supporting documentation is also available. For more information, e-mail CMS PROINQUIRIES at proinquiries@cms.hhs.gov.
- The Joint Commission. A comprehensive review of development and testing for national implementation of hospital core measures. Oakbrook Terrace (IL): The Joint Commission; 40 p. This document is available from The Joint Commission Web site.
- The Joint Commission. Attributes of core performance measures and associated evaluation criteria. Oakbrook Terrace (IL): The Joint Commission; 5 p. This document is available from The Joint Commission Web site.

NQMC STATUS

This NQMC summary was originally completed by ECRI on January 6, 2003. This NQMC summary was updated by ECRI Institute on October 24, 2005, April 10, 2007, and on October 26, 2007. The Joint Commission informed NQMC that this measure was updated on August 29, 2008 and provided an updated version of the NQMC summary. This NQMC summary was updated accordingly by ECRI Institute on November 11, 2008. The information was verified by the Centers for Medicare & Medicaid Services on January 22, 2009. The Joint Commission informed NQMC that this measure was updated again on October 1, 2009 and provided an updated version of the NQMC summary. This NQMC summary was updated accordingly by ECRI Institute on December 2, 2009. The information was verified by the Centers for Medicare & Medicaid Services on April 27, 2010.

COPYRIGHT STATEMENT

Disclaimer

NQMC DISCLAIMER

The National Quality Measures Clearinghouse™ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria which may be found at http://www.qualitymeasures.ahrq.gov/about/inclusion.aspx.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. The inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.

Date Modified: 5/17/2010